



Catalogue



Safe

Eliminate back injuries



Effective

Designed to break the seal



Efficient

Saves time on the job

June 2025

+44 1443 704 706

www.coverupkey.com



Traditional methods of releasing stubborn manhole covers are unsafe, ineffective and inefficient




HAMMERING DOWN IS THE OPPOSITE OF THE FORCE NEEDED TO RELEASE STUBBORN AND STUCK COVERS.

HAMMER IT UP!



The CoverUp Key has a patented slide-hammer action which exerts a massive, upward impact force capable of releasing stuck, seized and rusted chamber covers effectively and efficiently - it's designed for the job




DUAL LEVEL HANDLES FOR ERGONOMIC LIFTING AND MAINTAINING A NATURALLY UPRIGHT POSTURE

NON SLIP SOFT GRIP RUBBER

SUPPLIED WITH CARRY CASE



MULTI DIRECTIONAL INTERCHANGEABLE TIPS



"We used the CoverUp Key in an estate where a lot of manholes were seized. It saved us a lot of time and, more importantly, was much safer than using hammers, crowbars, chisels and a can of WD40!" - Easyview

"I tried the CoverUp Key for the first time today and wow, just wow; it's a proper game changer!" - Darren Gillam, Drain Developments

www.coverupkey.com



Industry Complete Sets

Starter Set

Item Code: GBSTSET / Tip Kit Code: GBSTKIT

Includes:

- Accessory Case - 020CUK
- CoverUp Key Bar - 001BAR
- 32mm Flat Tip - 002F32



Drainage Set

Item Code: GBDRSET / Tip Kit Code: GBDRKIT

Includes:

- Accessory Case - 020CUK
- CoverUp Key Bar - 001BAR
- 32mm Flat Tip - 002F32
- 22mm Flat Tip - 003F22
- 12mm J Hook Tip - 017J12
- Cleaning Tip - 006J08




Telecoms Set

Item Code: GBTLSET / Tip Kit Code: GBTLKIT

Includes:

- Accessory Case - 020CUK
- CoverUp Key Bar - 001BAR
- 32mm Flat Tip - 002F32
- 22mm Flat Tip - 003F22
- 12mm J Hook Tip - 017J12
- 20mm Oval Tip - 009O20





Industry Complete Sets

Pest Control Set

Item Code: GBPCSET / Tip Kit Code: GBPCKIT

Includes:

- Accessory Case - 020CUK
- CoverUp Key Bar - 001BAR
- 22mm Flat Tip - 003F22
- 32mm Flat Tip - 002F32
- 12mm J Hook Tip - 017J12
- 10mm Threaded Tip - 005T10
- 12mm Threaded Tip - 004T12



Fresh Water/Gas Network Set

Item Code: GBFWSET / Tip Kit Code: GBFWKT

Includes:

- Accessory Case - 020CUK
- CoverUp Key Bar - 001BAR
- 32mm Flat Tip - 002F32
- 22mm Flat Tip - 003F22
- 12mm J Hook Tip - 017J12
- Cleaning Tip - 006J08
- Fire Hydrant Valve Key - 011HYD



Electricity Set

Item Code: GBELSET / Tip Kit Code: GBELKIT

Includes:

- Accessory Case - 020CUK
- CoverUp Key Bar - 001BAR
- 22mm Flat Tip - 003F22
- 20mm Oval Tip - 009O20
- 12mm J Hook Tip - 017J12
- Cleaning Tip - 006J08





Industry/Country Complete Sets

Australian/New Zealand Set

Item Code: AUNZSET / Tip Kit Code: AUNZKIT

Includes:

- Accessory Case - 020CUK
- CoverUp Key Bar - 001BAR
- 31mm Oval Tip - 008O30
- 20mm Oval Tip - 009O20
- Cleaning Tip - 006J08
- 16mm J Hook Tip - 013J16
- 12mm C Hook Tip - 010CHK



US Set

Item Code: USBASET / Tip Kit Code: USBAKIT

Includes:

- Accessory Case - 020CUK
- CoverUp Key Bar - 001BAR
- 12mm J Hook Tip - 017J12
- 16mm J Hook Tip - 013J16
- Cleaning Tip - 006J08
- 20mm Gulley Tip - 019GLY




Canadian Set

Item Code: CANSET / Tip Kit Code: CANKIT

Includes:

- Accessory Case - 020CUK
- CoverUp Key Bar - 001BAR
- 32mm Flat Tip - 002F32
- 22mm Flat Tip - 003F22
- 16mm J Hook Tip - 013J16
- Cleaning Tip - 006J08





Country Complete Sets

German Drainage Set

Item Code: GERMSET / Tip Kit Code: GERMKIT

Includes:

- Accessory Case - 020CUK
- CoverUp Key Bar - 001BAR
- 32mm Flat Tip - 002F32
- 12mm J Hook Tip - 017J12
- 16mm J Hook Tip - 013J16
- 12mm C Hook Tip - 010CHK




German Water Set

Item Code: GMWASET / Tip Kit Code: GMWAKIT

Includes:

- Accessory Case - 020CUK
- CoverUp Key Bar - 001BAR
- 12mm Hacken Tip - 028HA12
- 16mm Hacken Tip - 027HA16



Japanese Set

Item Code: JPNSET / Tip Kit Code: JPNKIT

Includes:

- Accessory Case - 018CAS
- CoverUp Key Bar - 001BAR
- 32mm Flat Tip - 002F32
- 22mm Flat Tip - 003F22
- Cleaning Tip - 006J08
- 12mm J Hook Tip - 017J12
- 16mm J Hook Tip - 013J16
- 12mm C Hook Tip - 010CHK






Full Set

Item Code: FLLSET / Tip Kit Code: FLLKIT

Includes:

- Accessory Case - 020CUK
- CoverUp Key Bar - 001BAR
- 22mm Flat Tip - 003F22
- 32mm Flat Tip - 002F32
- 12mm J Hook Tip - 017J12
- 16mm J Hook Tip - 013J16
- 12mm C Hook Tip - 010CHK
- Cleaning Tip - 006J08
- 10mm Threaded Tip - 005T10
- 12mm Threaded Tip - 004T12
- 20mm Oval Tip - 009O20
- 31mm Oval Tip - 008O30
- 20mm Gulley Tip - 019GLY
- Fire Hydrant Valve Key - 011HYD
- 12mm Hacken Tip- 028HA12
- 16mm Hacken Tip - 027HA16
- Telecoms Tip - 024TL40



NOTE: tips included may vary as new items are added from time to time


Individual Bars & Tips

CoverUp Key – Bar Only – 001BAR

The CoverUp Key – slide-hammer action, access cover releasing tool for stuck or seized covers. Featuring dual level handles for ergonomic use supporting good operative posture, and the ability to insert tips in multiple orientations. NOTE: For the bar to be operational you must also be in possession of a retaining clip and a tip.

Dimensions (L x D): 800 x 35mm
Handle Width: 280mm
Weight: 6.6kg
Material: Plated Steel

Heavy Duty ☺





Individual Bars & Tips

Fire Hydrant CoverUp Key - GBFHSET

Designed in conjunction with UK Fire & Rescue Services, the Fire Hydrant CoverUp Key Kit is a combined access cover removal tool and hydrant valve tool in a single, compact and quickly deployable tool. The tool has storage for 2 CoverUp Key flat tips, and an extra long removable handle to provide extra leverage when opening valves.

Dimensions (L x D): 1220 x 35mm
 Handle Length: 640mm
 Weight: 6.2kg
 Material: Steel

Heavy Duty ☹



22mm Flat Tip - 003F22


Designed to fit any access cover with a keyhole size of approximately 20mm.

Dimensions (L x D): 160 x 20mm
 Head Size: 22 x 6 x 10mm
 Weight: 0.3kg
 Material: Hardened Steel

Medium Duty ☹

Used with:

- ☹ Drainage
- ☹ Gas
- ☹ Electricity
- ☹ Telecoms
- ☹ Pest Control
- ☹ Fire Service
- ☹ Fresh Water



32mm Flat Tip - 002F32


One of the most commonly used access cover keyhole shapes worldwide. Will fit most covers with a keyhole size of approximately 30mm.

Dimensions (L x D): 160 x 20mm
 Head Size: 32 x 6 x 16mm
 Weight: 0.3kg
 Material: Hardened Steel

Heavy Duty ☹

Used with:

- ☹ Drainage
- ☹ Gas
- ☹ Electricity
- ☹ Telecoms
- ☹ Pest Control
- ☹ Fire Service
- ☹ Fresh Water





Individual Bars & Tips

20mm Gully Tip - 019GLY


A 20mm hooked tip designed for use with seized gully covers, with a stopper disc that allows the user to hammer the tip into clogged gully grates and also reduces the travel of the tip allowing more force to be exerted on the cover.

Dimensions (L x D): 250 x 75mm
Head Size: 20 x 75mm Hook
Weight: 1.0kg
Material: Steel

Heavy Duty ☹

Used with:

- ☑ Drainage
- ☐ Gas
- ☐ Electricity
- ☐ Telecoms
- ☑ Pest Control
- ☐ Fire Service
- ☐ Fresh Water



25mm T-Type Gully Tip - 029TG25


T-type 25mm tip designed for use with seized gully covers, with a stopper disc that allows the user to hammer the tip into clogged gully grates. 'T' shape improves lifting efficiency and stability if the grate is lifted.

Dimensions (L x D): 286 x 130mm
Head Size: 25 x 130mm 'T'
Weight: 1.25kg
Material: Steel

Heavy Duty ☹

Used with:

- ☑ Drainage
- ☐ Gas
- ☐ Electricity
- ☐ Telecoms
- ☑ Pest Control
- ☐ Fire Service
- ☐ Fresh Water



8mm Cleaning Tip - 006J08

An 8mm 'J' shaped hook, ideal for cleaning out the dirt and grit that becomes clogged in access cover keyholes over time.


NOTE: This tip is for cleaning only, NOT for raising covers - it will break if used incorrectly.

Dimensions (L x D): 174 x 20mm
Head Size: 25mm (L) x 8mm (D) 'J' Shape
Weight: 0.3kg
Material: Hardened Steel

Light Duty ☺

Used with:

- ☑ Drainage
- ☑ Gas
- ☑ Electricity
- ☑ Telecoms
- ☑ Pest Control
- ☑ Fire Service
- ☑ Fresh Water





Individual Bars & Tips

10mm J Tip - 007J10


A 10mm 'J' shaped hook can be used with many different types of light access covers.

Dimensions (L x D): 174 x 20mm
Head Size: 20mm (L) x 10mm (D) 'J' Shape
Weight: 0.3kg
Material: Hardened Steel

Light Duty ☺

Used with:

- ☑ Drainage
- ☑ Gas
- ☑ Electricity
- ☑ Telecoms
- ☑ Pest Control
- ☐ Fire Service
- ☑ Fresh Water



12mm J Tip - 017J12


A 12mm 'J' shaped hook can be used with many different types of access covers and gulleys.

Dimensions (L x D): 174 x 20mm
Head Size: 20mm (L) x 12mm (D) 'J' Shape
Weight: 0.3kg
Material: Hardened Steel

Medium Duty ☺

Used with:

- ☑ Drainage
- ☑ Gas
- ☑ Electricity
- ☑ Telecoms
- ☑ Pest Control
- ☐ Fire Service
- ☑ Fresh Water



16mm J Tip - 013J16


A 16mm 'J' shaped hook can be used with many different types of access covers and gulleys.

Dimensions (L x D): 174 x 40mm
Head Size: 40mm (L) x 16mm (D) 'J' Shape
Weight: 0.3kg
Material: Hardened Steel

Heavy Duty ☺

Used with:

- ☑ Drainage
- ☐ Gas
- ☑ Electricity
- ☐ Telecoms
- ☐ Pest Control
- ☐ Fire Service
- ☑ Fresh Water



12mm Hooked Tip - 010CHK


A 12mm 'C' Shaped Hook for use with many different kinds of light gully covers.

Dimensions (L x D): 182 x 20mm
Head Size: 12mm Hook
Weight: 0.3kg
Material: Hardened Steel

Light Duty ☺

Used with:

- ☑ Drainage
- ☐ Gas
- ☐ Electricity
- ☐ Telecoms
- ☐ Pest Control
- ☐ Fire Service
- ☐ Fresh Water





Individual Bars & Tips

10mm Threaded Tip - 005T10

Designed for use on access covers commonly found indoors that have threaded keyholes.

Dimensions (L x D): 160 x 20mm

Head Size: M10 x 20mm


Weight: 0.3kg

Material: Hardened Steel

Light Duty ☺

Used with:

- ☺ Drainage
- ☐ Gas
- ☐ Electricity
- ☐ Telecoms
- ☺ Pest Control
- ☐ Fire Service
- ☐ Fresh Water



12mm Threaded Tip - 004T12

Designed for use on access covers commonly found indoors that have threaded keyholes.

Dimensions (L x D): 160 x 20mm

Head Size: M12 x 20mm

Weight: 0.3kg

Material: Hardened Steel

Light Duty ☺

Used with:

- ☺ Drainage
- ☐ Gas
- ☐ Electricity
- ☐ Telecoms
- ☺ Pest Control
- ☐ Fire Service
- ☐ Fresh Water



12mm Hacken Tip - 028HA12

The 12mm Hacken Tip has been designed for use on German covers. Useful in place of a hooked tip.

Dimensions (L x D): 190 x 20mm

Head Size: 20mm (L) x 12mm (D) 'J' Shape


Weight: 0.3kg

Material: Hardened Steel

Medium Duty ☺

Used with:

- ☺ Drainage
- ☐ Gas
- ☺ Electricity
- ☺ Telecoms
- ☐ Pest Control
- ☐ Fire Service
- ☐ Fresh Water





Individual Bars & Tips

16mm Hacken Tip - 027HA16

The 16mm Hacken Tip has been designed for use on German covers. Useful in place of a hooked tip.

Dimensions (L x D): 210 x 20mm
Head Size: 60mm (L) x 16mm (D) 'J' Shape
Weight: 0.3kg
Material: Hardened Steel

Heavy Duty ☑

Used with:

- ☑ Drainage
- ☐ Gas
- ☐ Electricity
- ☑ Telecoms
- ☐ Pest Control
- ☐ Fire Service
- ☐ Fresh Water



20mm Oval Tip - 009O20


The 20mm Oval tip, originally designed for use with telecom access covers, will fit access covers with a 20mm x 10mm oval shaped keyhole.

Dimensions (L x D): 160 x 20mm
Head Size: 20mm (L) x 10mm (D) Oval Shape
Weight: 0.3kg
Material: Hardened Steel

Light Duty ☑

Used with:

- ☐ Drainage
- ☐ Gas
- ☑ Electricity
- ☑ Telecoms
- ☐ Pest Control
- ☐ Fire Service
- ☐ Fresh Water



31mm Oval Tip - 008O30


The 31mm Oval tip, originally designed for use in Australia, will fit manhole or access covers with a 31mm x 15mm oval shaped keyhole.

Dimensions (L x D): 160 x 31mm
Head Size: 31mm (L) x 15mm (D) Oval Shape
Weight: 0.3kg
Material: Hardened Steel

Heavy Duty ☑

Used with:

- ☑ Drainage
- ☐ Gas
- ☐ Electricity
- ☐ Telecoms
- ☐ Pest Control
- ☐ Fire Service
- ☐ Fresh Water





Individual Bars & Tips


UK Telecoms Tip - 024TL40

Specifically designed for use with access covers encountered in the telecommunications sector. This tip is equivalent to the Yellow BT Joint Box Key No. 5

Dimensions (L x D): 230 x 45mm
Head Size: 45mm (L) x 20mm (D) x 40mm (W)
Weight: 0.3kg
Material: Hardened Steel

Used with:

- ☐ Drainage
- ☐ Gas
- ☐ Electricity
- ☒ Telecoms
- ☐ Pest Control
- ☐ Fire Service
- ☐ Fresh Water



Heavy Duty ☺


Fire Hydrant Valve Key - 011HYD

Stop tap valve key, designed specifically for use with the CoverUp Key's slide hammer action to prevent the key becoming stuck on valves.

Dimensions (L x D): 200 x 50mm
Head Size: 50mm (H) x 50 (D) x 80mm (W)
Internal size: 50x50mm reducing to 20x20mm
Weight: 0.8kg
Material: Cast Stainless Steel

Used with:

- ☐ Drainage
- ☐ Gas
- ☐ Electricity
- ☐ Telecoms
- ☐ Pest Control
- ☒ Fire Service
- ☒ Fresh Water




Medium Duty ☺

Accessories

Retaining Pin - 015CLP

Sprung pin used in The CoverUp Key bar to retain the tips within the tool.

Each full CoverUp Key kit includes 2 x Retaining pins.





Accessories

CoverUp Key Accessory Case - 020CUK

Zipped carry case with sleeve for CoverUp Key Bar including internal zipped pocket for tips and retaining clips.

Included with each full CoverUp Key kit.



The X500

The Listening Stick for the 21st Century

The Old The New



The X500 takes the principles of cotton reel leak detection methods and updates them with upgraded materials and digital technology.

Amplifying the sound up to 500 times, detection is further aided by over the ear headphones (included) and includes a rechargeable battery.



X500 – Electronic Leak Detection

Weight	0.7kg
Grip	Blue Acetal
Rod	1m Stainless Steel
Battery	Rechargeable Li-Ion ~6hrs operation



NEW

The height-adjustable Lifter

Upgrade your methods to the very best working practices by using height-adjustable lifting keys **in combination** with the CoverUp Key.

When combined, they are the **ultimate toolkit** for dealing with manhole and inspection covers.

The height-adjustable Lifter uses the same interchangeable tips as the CoverUp Key.

Height Adjustable: to maximise ergonomic, natural posture while lifting.

Interchangeable Tips: Lift all types of cover with just one key!



Maintain
naturally upright
posture

**Change the tips - not the key -
with tools that will lift for a lifetime**

YOUR LOCAL COVERUP KEY SUPPLIER IS...

FIND OUT AT:

WWW.COVERUPKEY.COM

Or Call:

+44 1443 704706



info@coverupkey.com | www.coverupkey.com
Patent: EP3400337 | Trademark: UK00003994451